

Dmidecode for cpu

```
root@alex19950425-To-be-filled-by-O-E-M: /home/alex19950425
root@alex19950425-To-be-filled-by-O-E-M: /home/alex19950425# dmidecode -t process
or
# dmidecode 2.12
SMBIOS 2.7 present.

Handle 0x0043, DMI type 4, 42 bytes
Processor Information
Socket Designation: Intel(R) Core(TM) i5-3470 CPU @ 3.20GHz
Type: Central Processor
Family: Core i7
Manufacturer: Intel
ID: A9 06 03 00 FF FB EB BF
Signature: Type 0, Family 6, Model 58, Stepping 9
Flags:
  FPU (Floating-point unit on-chip)
  VME (Virtual mode extension)
  DE (Debugging extension)
  PSE (Page size extension)
  TSC (Time stamp counter)
  MSR (Model specific registers)
  PAE (Physical address extension)
  MCE (Machine check exception)
  CMB (Cpufreq instruction supported)
  APIC (On-chip APIC hardware supported)
  SEP (Fast system call)
  MTRR (Memory type range registers)
  PGE (Page global enable)
  MCA (Machine check architecture)
  CMOV (conditional move instruction supported)
  PAT (Page attribute table)
  PSE-36 (36-bit page size extension)
  CLFSH (CLFLUSH instruction supported)
  DS (Debug store)
  ACPI (ACPI supported)
  MMX (MMX technology supported)
  FXSR (FXSAVE and FXSTOR instructions supported)
  SSE (Streaming SIMD extensions)
  SSE2 (Streaming SIMD extensions 2)
  SS (Self-snoop)
  HTT (Multi-threading)
  TM (Thermal monitor supported)
  PBE (Pending break enabled)
Version: Intel(R) Core(TM) i5-3470 CPU @ 3.20GHz
Voltage: 1.1 V
External Clock: 100 MHz
Max Speed: 7800 MHz
Current Speed: 3400 MHz
Status: Populated, Enabled
Upgrade: Other
L1 Cache Handle: 0x0004
L2 Cache Handle: 0x0005
L3 Cache Handle: 0x0006
Serial Number: Not Specified
Asset Tag: Fill By OEM
Part Number: Fill By OEM
```

Lshwfor cpu

```
Ubuntu 桌面
4-17.docx (格爾) - LibreOffice Writer
linux 找字串 - Google 搜尋 - Mozilla Firefox
https://www.google.com.tw/search?client=ubuntu&channel=fs&q=linux
Google linux 找字串
程序札記: [Linux 命令] grep 範例: 找出目前目錄下有包
puremonkey2010.blogspot.tw/2012/01/linux-grep.html
2012年1月3日 - [Linux 命令] grep 範例: 找出目前目錄下有包含某字串不...
前篇: 某些時候你可能寫了一堆script, 但是有天你可能會想那些script 找出...
每天一個Linux指令-grep 指令(強大的文本搜索工具)
jashhoo.pixnet.net/~164960232/每天一個linux指令-grep 指令(強大的...
Linux系統中grep命令是一種強大的文本搜索工具, 它使用規則演算式...
配。-grep的工作方式是這樣的, 它在一個或多個檔案中搜索字串範本。
Linux搜尋所有檔案內容有無特定字串 | Oscar Hsu Blog
blog.sina.com.cn/719987
2012年3月21日 - find -目錄名-name ""-exec grep -H "搜尋字串" {} \
linux 指令grep: 搜尋文件中某字串- 妙禪如來宗's Erzengel ...
blog.sina.com.cn/tweizengel/article.php?entryid=611941
2011年9月18日 - 魯爾: 新刊行卷正業評書 · 2 部等等等; 永遠那部那部分類; 李勳 · 魯...
人介紹: 從小在天後宮生長, 全知曉光, 來到新竹原國防限制, 變成了一個阿宅...
Linux - 多個檔案中搜尋字串 @ 推理文 by阿誠: 痞客邦PIXNET ::
abort.pixnet.net/blog/post/23266493-linux-多個檔案中搜尋字串
Linux - 多個檔案中搜尋字串(linux) | xargs grep 'string' 這指令可以在現在的資料夾裡的...
全部檔案中搜尋字串xargs find linux
GoDebat: Linux - 多個檔案中搜尋字串
```

Lscpu



